



TIER 1 DRAFT ENVIRONMENTAL IMPACT STATEMENT

7.6 Ecological Resources

7.6 ECOLOGICAL RESOURCES

7.6.1 Introduction

Ecological resources include terrestrial and aquatic environments (and the organisms within these environments) that are fundamental for maintaining balanced earth processes. Within the Study Area, ecological resources include forested land, wetlands, and waterways, as well as marine and land-based species. Converting these habitats to transportation use could affect sensitive ecosystems and species. This section describes ecological resources within the Study Area, and identifies potential effects to sensitive habitats and species from the Tier 1 Draft Environmental Impact Statement (Tier 1 Draft EIS) Action Alternatives.

Key Resource: Ecological Resources

- § Regulated by numerous federal, state, and local laws, regulations, and Executive Orders.
 - § Adverse impacts may be difficult to permit or unallowable and may influence identification of a Preferred Alternative.
 - § Types of effects include loss or fragmentation of habitat; changes to migratory patterns of transient species; effects on protected species.
-

7.6.1.1 Definition of Resources

For the purposes of this analysis, the Federal Railroad Administration (FRA) defines ecological resources as the following:

- 4 **Ecologically Sensitive Habitat (ESH)** is a term for those areas dedicated to conserving and maintaining biological diversity and natural resources, such as national wildlife refuges, parks, or forests. Other natural areas (such as wetlands, streams, and coastal areas) can also be considered ecologically sensitive. Federal or state agencies do not designate ESHs.
- 4 **Federally listed Threatened and Endangered (T&E)** species are vulnerable to endangerment in the near future or are in imminent danger of becoming extinct due to the loss of habitat or the decline in population numbers. For some T&E species, federal agencies designate and protect critical habitats.
- 4 **Essential Fish Habitat (EFH)** comprise all aquatic habitats where fish spawn, breed, feed, or grow to maturity. These habitats include wetlands, coral reefs, sea grasses, and rivers.
- 4 **Federally Managed Fish Species** are managed under federal Fishery Management Plans and have designated EFH.

7.6.1.2 Effects-Assessment Methodology: Ecological Resources

The FRA developed an effects-assessment methodology for each resource area analyzed in this Tier 1 Draft EIS. (See Appendix E, Section E.06, for the Ecological Resources Methodology.) The Ecological Resource Methodology and the methodology update (also provided in Appendix E, Section E.06) provide the data sources of each resource, an explanation on how the FRA defined and established the Affected Environment, and information on how the FRA evaluated and reported the effects on each resource. Table 7.6-1 summarizes key information associated with the analysis of each evaluated ecological resource.

Table 7.6-1: Effects-Assessment Methodology Summary: Ecological Resources

Resource	Affected Environment	Type of Assessment	Outcome
Ecologically Sensitive Habitat (ESH)	3,000-foot-wide swath	Quantitative: Acres	Identification of ESH including parks, forests, wetlands, streams and coastal areas that could be affected by the Representative Routes of the Action Alternatives
Threatened and Endangered (T&E) Species	centered along Representative Route for each	Qualitative: Occurrence	Identification of federally listed T&E species and their critical habitats that could be affected by the Representative Routes of the Action Alternatives
Essential Fish Habitat (EFH)	Action Alternative	Quantitative: Number/Acres/ Linear feet	Identification of federally managed fish species that could be affected by the Representative Routes of the Action Alternatives by waterbody crossings

Source: NEC FUTURE Ecological Resources Assessment Methodologies, Appendix E, Section E.06, 2014

7.6.2 Resource Overview

Understanding locations of ecologically sensitive resources is an important consideration in identifying a Preferred Alternative. Many ecologically sensitive resources provide for foraging by wildlife species and habitat. Various federal, state, and local laws and regulations protect many of these ecologically sensitive areas and resources. As such, impacts to the resources may present permitting challenges that could prevent implementation of an action. This Tier 1 Draft EIS analysis identifies the locations of and the potential for impacts to ecologically sensitive resources associated with the Action Alternatives. More site-specific analysis at future stages of program development is required to determine the extent of impacts on ecologically sensitive resources.

In general, the Study Area consists of many undeveloped terrestrial habitats, including forests, parks, and refuges. Aquatic ecological resources include waterbodies that are located along coastlines and inland, including estuaries, inlets, bays, and rivers. Impacts to these sensitive habitats and the species that occur in these habitats would result from the construction and operation of the Action Alternatives, and include the following:

- 4 Habitat fragmentation—the process by which large, continuous habitats are divided into smaller, more isolated areas
- 4 Bisection or fragmentation of an ESH within the project corridor, resulting in habitat loss and detrimental effect to the sustainability of viable populations of T&E fauna and flora occurring within the sensitive habitat

The FRA identified ecological resources within the Affected Environment and Representative Routes for each of the Action Alternatives. Table 7.6-2 through Table 7.6-6 summarize the ESHs, T&E species, and federally-managed fish species and EFHs within the Affected Environment and Representative Routes of the Action Alternatives. (See Appendix E, Section E.06, for a complete list of all identified ecological resources broken down by ESH, T&E, and EFH.)

Ecological resources occur throughout the Study Area but higher concentrations tend to occur in Connecticut, Rhode Island, New York, and Maryland. States with the most ESH tend to include large, undeveloped ESH areas with comparably small, concentrated metropolitan centers. Connecticut is one of the geographically larger states with substantial tracts of contiguous forested and

undeveloped land and therefore tends to have the most ecologically sensitive resources. Also, much of the Representative Routes of the Action Alternatives within Connecticut lie within the state's long coastline. Maryland, New York, and Rhode Island also have relatively higher ESH quantities across the Action Alternatives, attributed in part to the large tracts of contiguous undeveloped terrestrial ESHs, the numerous waterbodies, and large spans of coastline located within the Representative Routes of the Action Alternatives in each of these states. In contrast, Washington, D.C., tends to have the fewest ecological resources since it is a highly developed and relatively small geographic area.

The following are the key findings of the analysis:

4 Benefits:

- All Action Alternatives propose the use of elevated structures and tunnels that could minimize impacts on ecological sensitive resources. Elevated structures and tunnels allow for passage of transient species and can minimize direct impacts to ecologically sensitive resources.

4 Impacts:

- All Action Alternatives have the potential to affect ecologically sensitive areas.
- Impacts are greater where off-corridor routes are proposed.
- Connecticut is the state with highest potential ecological resource impacts (ESH, T&E, EFH) across all the Action Alternatives.
 - New Haven, New London, and Fairfield Counties, CT, are, in general, the counties with highest overall potential ecological resource impacts (ESH, T&E, EFH) across all the Action Alternatives.
- Connecticut has the highest number of crossings of waters identified as EFH under all Action Alternatives. Alternative 2 has the highest number of crossings in Connecticut.
- The highest total acreage of ESH occurs in Maryland and Connecticut under all Action Alternatives. Under Alternative 3, Maryland has more than four times the acreage of ESH affected over the existing NEC. Alternatives 2 and 3 more than double the acres affected over the existing NEC in Connecticut.
- The Action Alternatives bisect or clip a number of large ESHs and wildlife refuges, including Patuxent Research Refuge, Anacostia and Gunpowder Falls (MD); John Heinz National Wildlife Refuge (PA), Laurel Ridge Setauket Woods Nature Preserve, Pelham Bay Park, and Saxon Woods County Park (NY); Great Swamp Management Area/Great Swamp (RI); and Paugussett State Forest and Rocky Neck State Park (CT).
- Suffolk County, NY, has the greatest potential T&E species occurrence by county in the Affected Environment for all the Action Alternatives.
- Under Alternative 3, Suffolk County, NY, and associated Long Island Sound, would have the potential for high ecological resource impacts, particularly to saltwater ESH, EFH, and T&E species.
- Gasheys Run, in Harford County, MD, is the only designated T&E critical habitat occurring within the Affected Environment/Representative Route of all the Action Alternatives. This is also the only known habitat of the Maryland Darter, an endangered species.

- All the Action Alternatives cross the Stewart B. McKinney National Wildlife Refuge in Middlesex, CT. The existing NEC currently crosses this refuge; however, the Action Alternatives may affect this resource to a greater degree due to proposed expansion associated with each Action Alternative. The endangered Roseate Tern is known to occur in this refuge.

7.6.3 Affected Environment

7.6.3.1 Ecologically Sensitive Habitats

The FRA identified ESH by creating a single ESH GIS data layer using federal GIS data sources. This ESH layer consisted of three categories of ESHs: terrestrial, saltwater aquatic, and freshwater aquatic. The FRA quantitatively and qualitatively assessed ESHs within the Affected Environment, including ESH by type (terrestrial, aquatic) and acreage. Appendix E, Section E.06, contains further details.

By state, Connecticut contains the most ESH acreage for all the Action Alternatives within the Affected Environment, including the most total ESH (Alternative 3), and the most terrestrial (Alternative 1), and saltwater and freshwater ESH acreages (across all Action Alternatives). New London and New Haven Counties, CT, consistently contain more terrestrial and saltwater ESH, resulting from all the Action Alternatives running along the Connecticut coastline where these counties are located.

Across all the Action Alternatives, Bucks County, PA, has the most freshwater ESH and Washington, D.C., has the least ESH acreage within the Affected Environment, including the least total, terrestrial, and total combined aquatic ESH (Table 7.6-2).

Table 7.6-2: Affected Environment: Total Ecologically Sensitive Habitats

Geography	Existing NEC (acres)	Alternative 1 (acres)	Alternative 2 (acres)	Alternative 3 (acres)
D.C.	230	230	230	235
MD	9,830	9,880	12,425	15,775
DE	2,160	2,160	2,660	2,555
PA	2,055	2,055	2,495	2,895
NJ	5,115	5,165	5,250	5,515
NY	1,705	1,735	1,890	6,850–9,135
CT	13,645	19,020	27,920	29,850–34,105
RI	6,405	7,695	11,655	6,405–11,655
MA	4,415	4,415	4,780	4,870–14,160
TOTAL	45,560	52,355	69,305	74,950–96,030

Source: NEC FUTURE team, 2015

The general trend for more ESH acreage within the Affected Environment in Alternative 3, and less ESH acreage recorded for the existing NEC and Alternatives 1 and 2 is attributed to the large tracts of undeveloped terrestrial ESHs, and the quantity and size of the waterbodies that Alternative 3 passes through in multiple states. (See Appendix A, Mapping Atlas, for ESH locations.)

7.6.3.2 Threatened and Endangered Species

Appendix E, Section E.06, shows, by county and state, the Threatened and Endangered (T&E) species and their federally designated critical habitats, if applicable, potentially occurring within the Affected Environment and Context Area for each of the Action Alternatives. The table identifies federally listed T&E species, their status as either “T” or “E,” the type of species (e.g., plant, mammal, reptile), habitat description and location/range, and federally designated critical habitats.

Twenty-four (24) federally listed T&E species and their habitats potentially exist within the Affected Environment/Representative Routes of the Action Alternatives (Table 7.6-3). Species types include plants, fish, reptiles, mammals, birds, and insects.

Table 7.6-3: Affected Environment: List of Threatened and Endangered Species

Scientific Name	Common Name	Species Type	Threatened or Endangered	States Where Species Occur
<i>Charadrius melodus</i>	Piping Plover	Bird	T	NY, CT, RI, MA
<i>Calidris canutus rufa</i>	Rufa Red Knot*	Bird	T	MA
<i>Myotis septentrionalis</i>	Northern Long-Eared Bat*	Mammal	T	NJ, NY
<i>Cicindela puritana</i>	Puritan Tiger Beetle	Insect	T	CT
<i>Amaranthus pumilus</i>	Seabeach Amaranth	Plant	T	NY
<i>Isotria medeoloides</i>	Small Whorled Pogonia	Plant	T	CT, RI
<i>Helonius bullata</i>	Swamp Pink	Plant	T	MD, NJ
<i>Clemmys muhlenbergii</i>	Bog Turtle	Reptile	T	MD, DE, PA, NJ, NY, CT
<i>Chelonia mydas</i>	Green Sea Turtle	Reptile	T	NY, CT
<i>Caretta caretta</i>	Loggerhead Sea Turtle	Reptile	T	NY, CT
<i>Sterna dougallii dougallii</i>	Roseate Tern	Bird	E	NY, CT, RI, MA
<i>Acipenser oxyrinchus oxyrinchus</i>	Atlantic Sturgeon	Fish	E	DE, PA, NJ, NY, CT, MA
<i>Etheostoma sellare</i>	Maryland Darter	Fish	E	MD
<i>Acipenser brevirostrum</i>	Shortnose Sturgeon	Fish	E	MD, DE, PA, NJ, NY, CT, MA
<i>Balaenoptera musculus</i>	Fin Whale	Mammal	E	CT
<i>Megaptera novaeangliae</i>	Humpback Whale	Mammal	E	CT
<i>Myotis sodalist</i>	Indiana Bat	Mammal	E	PA, NJ, NY, CT
<i>Eubalaena glacialis</i>	Right Whale	Mammal	E	CT
<i>Alasmidonta heterodon</i>	Dwarf Wedgemussel	Mussel (freshwater)	E	CT
<i>Agalinis acuta</i>	Sandplain Gerardia	Plant	E	MD, CT, RI
<i>Eretmochelys imbricate</i>	Hawksbill Sea Turtle	Reptile	E	CT
<i>Lepidochelys kempii</i>	Kemp’s Ridley Sea Turtle	Reptile	E	CT
<i>Dermochelys coriacea</i>	Leatherback Sea Turtle	Reptile	E	CT
<i>Pseudemys rubriventris bangsi</i>	Plymouth Red-Bellied Cooter	Reptile	E	MA

Source: NEC FUTURE team, 2015

Note: Species/habitat listed are identified as a species/areas of concern. Species/habitats identified as “species/habitat that needs no further evaluation” are not included in the Tier 1 Draft EIS but are listed in Appendix E, Section E.06, T&E data table.

* Newly listed species were reviewed corridor-wide for species occurrence.

In general, most states host the occurrence of 4 to 7 species across the Affected Environment of the Action Alternatives. However, Connecticut and New York have higher numbers of T&E species/habitats within the Affected Environment. Compared to all other states, Connecticut has the most T&E species potentially within the Affected Environment for every Action Alternative. Connecticut has 18 T&E species potentially within the Affected Environment for the existing NEC as well as Alternatives 1 and 2, and 19 T&E species potentially within the Affected Environment for Alternative 3. Of these totals, 13–14 of these T&E species are found within the Affected Environment in New Haven and Fairfield Counties for all Action Alternatives. New York has 18 T&E species potentially within the Affected Environment for Alternative 3; 16 of these T&E species are situated in Suffolk County. Across all Action Alternatives, Washington, D.C., has the fewest T&E species, with 1 T&E species potentially occurring within the Affected Environment (Table 7.6-4).

Table 7.6-4: Affected Environment: Threatened and Endangered Species Occurrences

Geography	Existing NEC (occurrence)	Alternative 1 (occurrence)	Alternative 2 (occurrence)	Alternative 3 (occurrence)
D.C.	1	1	1	1
MD	5	5	5	5
DE	4	4	4	4
PA	5	5	5	5
NJ	7	7	7	7
NY	7	9	9	9–19
CT	18	18	18	19
RI	5	5	4	5
MA	6	6	5	6

Source: NEC FUTURE team, 2015

Note: Totals for Action Alternative are not counted since species occur in multiple states per Action Alternative.

Additional Species under Consideration

The New England Cottontail (*Sylvilagus transitionalis*), Monarch Butterfly (*Danaus plexippus*), Dusky Shark (*Cacharhinus obscurus*), and Cusk (*Brosme brosme*) are four species identified for continued monitoring of their Endangered Species Act (ESA) status and occurrence within the Study Area. A final determination assessment has been completed for the Rufa Red Knot (*Calidris canutus rufa*) and Northern Long-Eared Bat (*Myotis septentrionalis*). The Rufa Red Knot was listed as of January 2015, and the Northern Long-Eared Bat was listed as of May 4, 2015. These species are included in this Draft Tier 1 EIS T&E analysis.

7.6.3.3 Essential Fish Habitat

Within the Affected Environment of the Action Alternatives, 21 federally managed fish species occur in 32 waterbodies (Table 7.6-5). Essential Fish Habitat (EFH) is defined by the federally managed fish species (including all life stages, spawning, breeding, and migratory patterns) that inhabit a particular EFH. In many cases, an EFH may have more than one fish species occurrence. For example, multiple federally managed fish species inhabit the Boston Harbor and/or Long Island Sound as described in Table 7.6-5.

Table 7.6-5: Affected Environment: Federally Managed Species' Essential Fish Habitats

Scientific Name	Common Name	Waterbody
<i>Pomatomus saltatrix</i>	Bluefish	Chesapeake Bay, Delaware River, East River, Eastchester Bay, Long Island Sound, Housatonic River, Quinnipiac River, Branford River, West River, Connecticut River, Thames River, Narragansett Bay, Providence River, Seekonk River, Boston Harbor
<i>Paralichthys dentatus</i>	Summer Flounder	Chesapeake Bay, Delaware River, Raritan River, Newark Bay, Arthur Kill, Passaic River, Hackensack River, Hudson River, East River, Upper New York Bay, Eastchester Bay, Long Island Sound, Housatonic River, Quinnipiac River, Branford River, West River, Connecticut River, Thames River, Narragansett Bay, Providence River, Seekonk River
<i>Scophthalmus aquosus</i>	Window Pane Flounder	Chesapeake Bay, Newark Bay, Arthur Kill, Passaic River, Hackensack River, Hudson River, Jamaica Bay, Eastchester Bay, Long Island Sound, Branford River, Connecticut River, Narragansett Bay, Providence River, Boston Harbor
<i>Centropristis striata</i>	Black Sea Bass	Delaware River, East River, Eastchester Bay, Long Island Sound, Housatonic River, Quinnipiac River, Branford River, West River, Long Island Sound, Connecticut River, Thames River, Narragansett Bay, Providence River, Seekonk River
<i>Stenotomus chrysops</i>	Scup	Delaware River, East River, Eastchester Bay, Long Island Sound, Housatonic River, Quinnipiac River, Branford River, West River, Long Island Sound, Connecticut River, Thames River, Narragansett Bay, Providence River, Seekonk River
<i>Peprilus triacanthus</i>	Atlantic Butterfish	Jamaica Bay, Long Island Sound, Narragansett Bay, Housatonic River, West River, East River, Quinnipiac River, Farm River, Branford River, Hammonasset River, Indian River, Hammock River, Menunketesuck River, Oyster River, Connecticut River, Niantic River, Thames River
<i>Scomber scombrus</i>	Atlantic Mackerel	Long Island Sound
<i>Clupea harengus</i>	Atlantic Herring	Newark Bay, Arthur Kill, Passaic River, Hackensack River, Hudson River, Jamaica Bay, Eastchester Bay, Long Island Sound, Branford River, Connecticut River, Narragansett Bay, Providence River, Boston Harbor
<i>Urophycis chuss</i>	Red Hake	Newark Bay, Arthur Kill, Passaic River, Hackensack River, Hudson River, Jamaica Bay, Eastchester Bay, Long Island Sound, Branford River, Connecticut River, Narragansett Bay, Providence River, Boston Harbor
<i>Pseudopleuronectes americanus</i>	Winter Flounder	Boston Harbor
<i>Leucoraja erinacea</i>	Little Skate	Jamaica Bay, Eastchester Bay, Long Island Sound, Housatonic River, Quinnipiac River, Branford River, West River, Narragansett Bay, Providence River
<i>Merluccius bilinearis</i>	Silver Hake/Whiting	Jamaica Bay, Long Island Sound, Branford River, Boston Harbor
<i>Leucoraja ocellata</i>	Winter Skate	Jamaica Bay, Eastchester Bay, Long Island Sound, Housatonic River, Quinnipiac River, Branford River, West River
<i>Pollachius pollachius</i>	Pollock	Eastchester Bay, Long Island Sound, Branford River, Connecticut River, Boston Harbor

Table 7.6-5: Affected Environment: Federally Managed Species' Essential Fish Habitats (continued)

Scientific Name	Common Name	Waterbody
<i>Zoarces americanus</i>	Ocean Pout	Long Island Sound, Boston Harbor
<i>Melanogrammus aeglefinus</i>	Haddock	Long Island Sound, Narragansett Bay, Providence River, Boston Harbor
<i>Gadus morhua</i>	Atlantic Cod	Boston Harbor
<i>Hippoglossoides platessoides</i>	American Plaice	Boston Harbor
<i>Urophycis tenuis</i>	White Hake	Boston Harbor
<i>Limanda ferruginea</i>	Yellowtail Flounder	Boston Harbor
<i>Loligo pealeii</i>	Longfin Inshore Squid	Newark Bay, Arthur Kill, Jamaica Bay, Eastchester Bay, Long Island Sound, Branford River, East River, Connecticut River, Thames River, Pawcatuck River, Narragansett Bay, Providence River

Source: NEC FUTURE team, 2015

Across all Action Alternatives, Connecticut has the most federally managed fish species occurrences within the Affected Environment, with 16 species per Action Alternative (Table 7.6-6). Of this total, Fairfield County, CT, has the most federally managed fish species occurrences in the Affected Environment, with 15 species associated with all Action Alternatives. Suffolk County, NY, and New London and Fairfield Counties, CT, also have higher numbers of fish species occurrences in the Affected Environment, with 14 federally managed fish species associated with Alternative 3 in Suffolk and Fairfield Counties, and 14 species for all the Action Alternatives through New London County. The disproportionate level of federally managed fish species in Connecticut results from the many ESHs—inlets and waterbodies—located proximate to the Connecticut shoreline and within the Affected Environment of all the Action Alternatives.

Table 7.6-6: Affected Environment: Federally Managed Fish Species (Number of Occurrences)

Geography	Existing NEC	Alternative 1	Alternative 2	Alternative 3
D.C.	0	0	0	0
MD	3	3	3	3
DE	4	4	4	4
PA	0	0	0	0
NJ	1	1	1	1
NY	13	13	13	13–14
CT	16	16	16	16
RI	13	13	13	13
MA	13	13	13	13

Source: NEC FUTURE team, 2015

A sharp increase in possible species occurrence from New York north to Massachusetts is the result of the Affected Environment route passing through the Long Island Sound and the length of the Connecticut coastline. Many federally managed fish species and protected marine mammal species occur and migrate through the Long Island Sound. Similarly, the Connecticut coastline has an

extensive shoreline with many inlets containing higher concentrations of federally managed fish species and protected marine mammals.

Other Aquatic Resources of Concern/Consideration

The FRA is coordinating with the National Marine Fisheries Service (NMFS) regarding EFH and federally managed fish species associated with the Action Alternatives. In addition to those fish species listed in Table 7.6-5, the NMFS has identified other sensitive marine species for consideration. The NMFS identified and recommended consideration of a number of “species of concern” that are not federally managed species (and therefore are not included in the federally managed fish species list) but are wetland, waterway, and/or important foraging species about which the agency has insufficient information and/or concerns regarding status and threats. Table 7.6-7 lists these species of concern that should be further examined during the Tier 2 environmental compliance processes. The NMFS is also working with the U.S. Fish and Wildlife Service (USFWS) on investigating a number of sensitive species. The NMFS and USFWS are jointly conducting a status review of the American Eel (*Anguilla rostrata*) listed in Table 7.6-7, to determine if listing the eel as endangered or threatened is warranted. As mentioned in Section 7.6.3.2, the Dusky Shark (*Cacharhinus obscurus*) and Cusk (*Brosme brosme*) are candidate species currently undergoing a status review for potential ESA listing. The Dusky Shark is also listed as an NMFS federally managed species. The NMFS has identified these two species as species of concern since they inhabit the coastal waters of the Greater Atlantic region and could occur within the Study Area. The FRA did not evaluate these two species as part of this Tier 1 Draft EIS; based on readily available data, they do not fall within the Affected Environment of the Action Alternatives. These species would be monitored for status and investigated further during the Tier 2 environmental compliance processes based on updated/revised data and continued coordination with the NMFS.

The NMFS recommended consideration of three federally managed whale species not included in the federally managed fish species list (Appendix E, Section E.06). The Sei (*Balaenoptera borealis*), Sperm (*Physeter macrocephalus*), and Blue (*Balaenoptera musculus*) whales (all endangered species protected under the ESA) generally inhabit the offshore waters of the Greater Atlantic region and are not expected to occur in the coastal waters where the Action Alternatives primarily run. However, these whales’ habitats extend throughout the region, and as a result, NMFS has identified them as potential species for consideration.

The NMFS also recommended consideration of four federally managed fish species not included in the EFH table in Appendix E, Section E.06. The King Mackerel (*Scoberomorus cavalla*), Spanish Mackerel (*Scoberomorus maculatus*), and Cobia (*Rachycentron canadum*) predominantly inhabit the South Atlantic region waters and are not expected to occur near the Study Area. However, these species are also species of consideration by the NMFS because of their extended habitat range into the offshore waters of the Mid-Atlantic region. The Clearnose Skate (*Raja eglanteria*) was analyzed and ultimately determined outside of the Action Alternatives’ Affected Environment; as such, it is not considered further as part of this analysis.

These whale and fish species would be investigated further during the Tier 2 environmental compliance processes, but are not anticipated to be affected.

Table 7.6-7: National Marine Fisheries Service “Species of Concern”

Scientific Name	Common Name	Special Designation
<i>Alosa pseudoharengus</i>	Alewife	NMFS species of concern ¹
<i>A. aestivalis</i>	Blueback Herring	
<i>A. sapidissima</i>	American Shad	None ²
<i>Morone saxatilis</i>	Striped Bass	
<i>Perca flavescens</i>	Yellow Perch	
<i>Alosa mediocris</i>	Hickory Shad	
<i>Trinectes maculatus</i>	Hogchoker	
<i>Fundulus diaphanous</i>	Banded Killifish	
<i>Fundulus heteroclitus</i>	Mummichog	
<i>Clupea harengus</i>	Atlantic Herring	
<i>Brevoortia tyrannus</i>	Atlantic Menhaden	
<i>Anchoa mitchilli</i>	Bay Anchovy	
<i>Dorosoma cepedianum</i>	Gizzard Shad	
<i>Morone Americana</i>	White Perch	
<i>Menidia menidia</i>	Atlantic Silverside	
<i>Menidia beryllina</i>	Inland Silverside	
<i>Leiostomus xanthurus</i>	Spot	
<i>Fundulus majalis</i>	Striped Killifish	
<i>Anguilla rostrata</i>	American Eel	Undergoing ESA status review in cooperation with the USFWS ³
<i>Carcharhinus obscurus</i>	Dusky Shark	ESA candidate species, NMFS species of concern ⁴
<i>Brosme brosme</i>	Cusk	

Sources:

¹ NMFS Species of Concern list (<http://www.nmfs.noaa.gov/pr/species/concern/>). These species are listed in the NMFS correspondence.²

² Species listed in NMFS correspondence to project, “Ecological Resources Effects Assessment Coordination Relative to Section 7 of the Endangered Species Act,” received December 19, 2014. The NMFS has concerns over these species, but they are not “Species of concern” or “EFH species.”

³ Species under review for ESA designation (<http://ecos.fws.gov/speciesProfile/profile/speciesProfile.action?scode=E0AG>). Species is listed in NMFS correspondence.

⁴ NMFS federally managed species (Dusky Shark only), and Candidate and Proposed Species under the Endangered Species Act list (<http://www.nmfs.noaa.gov/pr/species/esa/candidate.htm>). These species are also listed in the NMFS correspondence.²

The NMFS identified one species included in the NEC FUTURE T&E species list that may be eliminated from further investigations. The Hawksbill Sea Turtle (*Eretmochelys imbricate*) is an endangered species and included in the T&E species Table 7.6-3 as potentially occurring within the Affected Environment. The NMFS indicated that this species is not expected to occur in the Affected Environment and may therefore be eliminated as a potential project species of concern. The Hawksbill Sea Turtle would be investigated during the Tier 2 environmental compliance processes, and a final determination will be made as to whether the turtle warrants exclusion from future project consideration.

The NMFS has requested in correspondence that the Distinct Population Segment (DPS) for the Atlantic Sturgeon be included on the T&E species list. The Atlantic Sturgeon is a listed endangered species under USFWS jurisdiction and is composed of five DPSs, divided by the sturgeon’s species range. The NMFS has indicated that wherever the sturgeon is listed for potential occurrence, its associated DPS should also be included. The recommendation to make this distinction has been noted and would be conducted during the Tier 2 environmental compliance processes.

7.6.4 Environmental Consequences

7.6.4.1 Ecologically Sensitive Habitats

The FRA quantitatively and qualitatively assessed Environmental Consequences for ESH by type and acreage of impact within the Representative Route. The assessment includes identification of, and discussion of impacts (including habitat fragmentation impacts) on, those ESH areas where 10 percent or greater of the total area of the ESH is potentially impacted.

Based on GIS analysis, the FRA identified ESH areas within the Representative Route for the Action Alternatives. The regions with the most and least area (acreage) of total ESH—further sub-categorized by terrestrial, freshwater, and saltwater—were determined by state and county for each Action Alternative. Table 7.6-8 and Table 7.6-9 summarize the results of the ESH analysis by Action Alternative.

Table 7.6-8: Environmental Consequences: Representative Route – Total Ecologically Sensitive Habitats (Acreage)

Geography	Existing NEC	Alternative 1	Alternative 2	Alternative 3
D.C.	5	5	5	20
MD	230	230	360	995
DE	25	25	70	160
PA	25	25	55	135
NJ	115	130	155	510
NY	70	75	95	420–495
CT	405	660	1,195	1,075–1,475
RI	175	300	445	175–460
MA	170	170	215	525–730
TOTAL	1,220	1,620	2,595	4,015–4,980

Source: NEC FUTURE team, 2015

Table 7.6-9: Environmental Consequences: Representative Route of Alternative 3 Route Options – Total Ecologically Sensitive Habitats (Acreage)

Geography	Existing NEC	Alternative 3				
		D.C. to NYC	New York City to Hartford		Hartford to Boston	
			via Central Connecticut	via Long Island	via Providence	via Worcester
D.C.	5	20	—	—	—	—
MD	230	995	—	—	—	—
DE	25	160	—	—	—	—
PA	25	135	—	—	—	—
NJ	115	510	—	—	—	—
NY	70	—	495	420	—	—
CT	405	—	620	660	810	455
RI	175	—	—	—	295	175
MA	170	—	—	—	525	730
TOTAL	1,220	1,820	1,115	1,080	1,630	1,360

Source: NEC FUTURE team, 2015

— = Not applicable within that alternative/option.

Consistent with the Affected Environment, Representative Routes associated with Alternative 3 generally would have the most impacts to ESH areas throughout the Study Area compared to the No Action and Alternatives 1 and 2 (Table 7.6-8).

Most of the ESH impacts by state would be concentrated in Connecticut, which would have the most total, terrestrial, and saltwater ESH impacts occurring across all the Action Alternatives. Maryland would have the most freshwater ESH impacts, occurring across all the Action Alternatives. There are no saltwater ESH impacts for Washington, D.C., and Pennsylvania across the Action Alternatives. Washington, D.C., would have the fewest total and terrestrial ESH impacts across the Action Alternatives. New York City and Washington, D.C., would have the fewest freshwater ESH impacts, with all Action Alternatives being less than 10 acres.

New London County, CT, would have the most total ESH and terrestrial ESH impacts while Suffolk County, NY, would have the most saltwater ESH impacts, and Harford County, MD, would have the most freshwater ESH impacts. There are numerous counties that would not have any terrestrial, freshwater, or saltwater ESH impacts (less than 0.1 acre) (refer to Appendix E, Section E.06).

No Action Alternative

Effects of the No Action Alternative are not quantified as part of this analysis as explained in the introduction to Chapter 7. However, projects being implemented under the No Action Alternative that will occur within or adjacent to the existing NEC right-of-way are likely to encounter ESHs. Project sponsors will be responsible for implementing measures for avoidance of and minimizing impacts to ESHs.

Alternative 1

Alternative 1 would have the fewest total area of ESH, terrestrial, freshwater, and saltwater ESH impacts of the Action Alternative in the Representative Route, a 33 percent increase in total area of ESH impact compared to the existing NEC..

Alternative 2

Alternative 2 would have the second-most total area of ESH, terrestrial, freshwater, and saltwater ESH impacts in the Representative Route, a 113 percent increase in total area of ESH impact compared to the existing NEC.

Alternative 3

Overall, the Alternative 3 Representative Route would have the most total area of ESH impacts, as well as the most terrestrial, freshwater, and saltwater ESH impacts, an average of 308 percent increase in total area of ESH impact compared to the existing NEC.

Washington, D.C., to New York City

From Washington, D.C., to New York City, this portion of Alternative 3's total area of ESH impacts would be greater than all other Action Alternatives, exceeding the total ESH impacts of the No Action Alternative and Alternatives 1 and 2. This portion of Alternative 3 would also have the most total area

of ESH and saltwater ESH impacts in the Representative Route. Maryland would have the most terrestrial and freshwater ESH impacts in the Representative Route.

New York City to Hartford

Via Central Connecticut

This Alternative 3 route option would almost double the total area of ESH impacts than would be incurred by the No Action Alternative.

Via Long Island

This Alternative 3 route option is a slight decrease from the Central Connecticut route option and would also result in almost double the total area of ESH impacts than would be incurred by the No Action Alternative.

Hartford to Boston

Via Providence

This Alternative 3 route option would result in the most total area of ESH impacts of the Alternative 3 route options north of New York City, and in particular, may be attributed to the route intersecting three states with large areas of terrestrial ESH.

Via Worcester

This Alternative 3 route option would result in the fewest total area of ESH impacts of the Alternative 3 route options north of New York City. This may be attributed in part to the minimal aquatic impacts this route option would incur as well as terrestrial impacts in two states as opposed to three states (via Providence route option runs through three states).

Stations

In areas where an Action Alternative proposes new stations that intersect with ESH, there is the potential for conversion to transportation use. Alternative 1 proposes 6 new stations, Alternative 2 proposes 8 new stations, and Alternative 3 proposes 17 new stations. For all the Action Alternatives, aquatic impacts for new stations would generally be minimal, not exceeding 4 acres of impacts for any given new station. Alternative 3 would have the most terrestrial and freshwater ESH impacts for new stations. Most saltwater impacts would be the same across Alternatives 1, 2, and 3. In general, Alternative 1 would have the fewest overall ESH impacts for new stations, with few terrestrial and saltwater impacts, and no quantifiable freshwater impacts. For all the Action Alternatives, terrestrial impacts for new stations would be more concentrated in Connecticut, with Fairfield and New Haven Counties recording the most and second-most terrestrial impacts.

ESH impacts for existing, modified, and new stations along the Representative Route of the Action Alternatives would be primarily terrestrial, and would result in only one intersection with a “named” park or wildlife refuge. The existing Station 141 located in Suffolk, MA, would affect approximately 0.6 acre of the Pierre Lallement Southwest Corridor Park in Boston—a bike path situated adjacent to the existing tracks. Additionally, the one freshwater ESH impact along the Representative Route would occur at a small, unnamed tributary to the east of the intersection of I-495 and I-90 (Massachusetts Turnpike) within the Sudbury Reservoir Watershed in Worcester County, MA.

Table 7.6-10 lists the states and counties for each Action Alternative in which modifications of new stations are proposed.

Table 7.6-10: Environmental Consequences: Stations – Ecologically Sensitive Habitats (Occurrence)

State	County	Station ID/Type	Station Name	Alternative 1	Alternative 2	Alternative 3
MD	Anne Arundel	6/New	BWI Airport H.S.			X
	Baltimore City	13/New	Bayview	X	X	X
		14/New	Bayview H.S.			X
DE	New Castle	26/New	Newport	X		
		28/New	Edgemoor	X	X	X
NJ	Middlesex	62/New	North Brunswick	X	X	X
		68/New	Metropark H.S.			X
NY	Bronx	81/New	Co-op City	X	X	X
NY	Westchester	151/New	White Plains East			X
CT	Fairfield	154/New	Danbury			X
	New Haven	155/New	Waterbury South			X
		156/New	Meriden High Speed		X	X
	Middlesex	120/New	Old Saybrook H.S.	X		
	New London	124/New	Mystic/New London H.S.	X		
	Hartford	160/New	West Hartford		X	
		161/New	Newington		X	
	Tolland	165/New	Willimantic/Storrs		X	X
166/New		Tolland/Storrs			X	
RI	Providence	129/New	Providence Station H.S.		X	X
MA	Worcester	173/New	Grafton-Shrewsbury			X
		174/New	Westborough			X
		175/New	Blue Star Hwy (I-495)			X
	Middlesex	176/New	Southborough/Ashland			X
		178/New	Framingham			X
		181/New	Riverside (I-95)			X

Source: NEC FUTURE team, 2015

Note: Quantities of potential impacts associated with stations are not shown. Acreage was calculated only for new stations and is provided in Appendix E, Section E.06.

X = Presence of resource within the Representative Route

Blank Cell = No effects identified for subject resource for listed station for specified alternative.

H.S. = high speed

Impacts 10 Percent or Greater

For each Action Alternative, the FRA conducted an assessment to determine the net/total number of ESH areas where 10 percent or greater of that ESH's total area is affected (Table 7.6-11).

**Table 7.6-11: Environmental Consequences: Ecologically Sensitive Habitats Impacts
10 Percent or Greater**

State	County	ESH Type	Alternative 1	Alternative 2	Alternative 3 (Min–Max)
MD	Anne Arundel	Terrestrial	1	1	8
	Baltimore		—	—	2
	Baltimore City		—	—	2
	Cecil	Terrestrial	1	4	7
		Freshwater	—	—	1
	Harford	Terrestrial	—	2	7
Prince George’s	—		—	2	
MD Total			2	7	29
DE	New Castle	Terrestrial	—	4	5
DE Total			0	4	5
PA	Bucks	Terrestrial	—	—	1
	Delaware		—	—	1
	Philadelphia	Terrestrial	—	—	1
		Aquatic	—	—	1
PA Total			0	0	4
NJ	Mercer	Terrestrial	—	—	6
	Middlesex		1	3	6
	Hudson	Saltwater	—	—	1
NJ Total			1	3	13
NY	Westchester	Terrestrial	—	—	0–4
		Freshwater	—	—	0–1
	Suffolk	Terrestrial	—	—	0–2
	Queens		—	—	0–2
NY Total			0	0	4–5
CT	Fairfield	Terrestrial	1	1	1
	New Haven	Terrestrial	3	12	8–12
		Freshwater	—	—	0–2
	Middlesex	Terrestrial	2	2	2
	New London	Terrestrial	9	5	5
		Saltwater	1	1	1
	Hartford	Terrestrial	—	3	3–4
		Aquatic	—	—	0–1
Tolland	Terrestrial	—	1	1–3	
Windham		—	1	0–1	
CT Total			16	26	23–29
MA	Middlesex	Terrestrial	—	—	0–4
	Bristol		—	1	2–3
	Worcester	Terrestrial	—	—	0–14
		Freshwater	—	—	0–1
	Norfolk	Terrestrial	2	3	7
		Freshwater	1	1	1
MA Total			3	5	11–29
RI	Providence	Terrestrial	—	1	0–2
	Washington		3	1	1
RI Total			3	2	1–3
TOTAL BY ALTERNATIVE			24	47	93–108

— = Impacts that may (or may not) occur in these areas are under the 10 percent threshold.

Alternative 3 would have the most and Alternative 2 would have the second-most ESH areas with 10 percent or greater impacts. Alternative 1, by contrast, would have the fewest ESH areas with 10 percent or greater impacts.

In general, Connecticut would have the most counties with 10 percent or greater impacts to ESH areas, with seven counties affected in the state (associated with Alternatives 2 and 3). Maryland would have the second-most counties with 10 percent or greater impacts to ESH areas, with six counties affected in the state (associated with Alternative 3).

Maryland, Connecticut, and Massachusetts would have 29 individual ESH areas with impacts at 10 percent or greater.

Within the Study Area, large, contiguous ESH are either bisected or clipped, resulting in some level of habitat fragmentation. These include bisected sections of the Anacostia and Gunpowder Falls State Parks, and clipped areas such as the Patuxent Research Refuge, in Maryland. All the Action Alternatives would bisect or clip large sections of the following ESH areas: John Heinz National Wildlife Refuge (Pennsylvania); Laurel Ridge Setauket Woods Nature Preserve, Pelham Bay Park, and Saxon Woods County Park (New York); Great Swamp Management Area/Great Swamp (Rhode Island); and Paugussett State Forest and Rocky Neck State Park (Connecticut).

Habitat fragmentation may occur from bisecting or clipping contiguous areas of ESH. For the areas of ESH that have greater than 10 percent impact, the following resources would be affected by habitat fragmentation: Patterson Park (bisected), Perryman Park, North Deen Park, and the Anita C. Leight Estuary Center and Park in Maryland; Fox Point State Park in Delaware; Merrill Park in New Jersey; and Forest Park in New York. Connecticut also contains large quantities of ESH area, particularly terrestrial, that would be affected at 10 percent or greater. However, these ESH areas are undeveloped and privately owned, and are therefore not “named” parks or wildlife refuges.

7.6.4.2 Threatened and Endangered Species

The lack of precision of the T&E boundaries and the lack of available GIS data did not allow for further assessment at the level of the Representative Route as compared to the Affected Environment and Context Area. For the purposes of this broad-scale analysis, the FRA identified, at the county level, “species/areas of concern” for those species/habitats that occur or could occur within the Affected Environment as identified in Table 7.6-3 and Table 7.6-4. If the T&E species/habitat “occurs” in a county that is within the Affected Environment, then the FRA assumed for the Representative Route that the species/habitat would be identified as a species/area of concern (refer to Appendix E, Section E.06). If a T&E species or habitat does not occur in a county within the Affected Environment, then the FRA considered the species a “species/habitat that needs no further evaluation” and was not included in this Tier 1 Draft EIS (Appendix E, Section E.06) for the Action Alternatives. These findings are contingent upon further analysis and consultation with U.S. Fish and Wildlife Service (USFWS). The need for subsequent analysis, which would occur during Tier 2 studies for individual projects, for species/habitats identified as “species/areas of concern” and “species/areas that need no further evaluation” would be identified during later stages of planning and design to determine the true extent of species and their habitats..

Effects of the No Action Alternative were not quantified as part of this analysis as explained in the introduction to this chapter. All Action Alternatives include the existing NEC, which is the focus of the No Action Alternative; the FRA identified T&E species with each of the Action Alternatives. Therefore, it is likely that projects being implemented under the No Action Alternative that would occur within or adjacent to the NEC right-of-way are likely to encounter T&E species and critical habitat. Federal agencies with approval authority over those projects, together with project sponsors, would be responsible for carrying out any required Section 7 consultation and other required environmental reviews for those projects; projects sponsors would be responsible for implementing measures to avoid or minimize impacts to T&E species and critical habitats, as determined through those environmental reviews.

Connecticut and Maryland are of particular importance regarding T&E species and their critical habitats. In Middlesex County, CT, the Roseate Tern (*Sterna dougallii dougalli*) is known to occur within the Affected Environment, where all the Action Alternatives run adjacent to the Stewart B. McKinney National Wildlife Refuge. The Roseate Tern is a seabird found along the Atlantic Coast that is listed as an endangered species because of sharp declines in population resulting from hunting, changes in vegetation in breeding areas, competition with other birds for nesting sites, and predation. During the Tier 2 environmental compliance processes, potential effects to the Roseate Tern as well as avoidance/minimization would be further assessed.

Gasheys Run within Harford County, MD, is the only designated critical habitat within the Representative Route of all the Action Alternatives. The Maryland Darter's (*Etheostoma sellare*) (a federally listed endangered species) only known habitat encompasses the following waterbodies: Deer Creek, Swan Creek, and Gasheys Creek (also referred to as Gasheys Run). Deer Creek and Swan Creek are partially located within the 5-mile Context Area but flow outside of the Affected Environment limits. Gasheys Creek, a tributary of Swan Creek, flows for approximately 3,888 linear feet within the 3,000-foot Affected Environment swath for all Action Alternatives. The Maryland Darter, Maryland's only endemic vertebrate, is a rare, small freshwater fish known to exist/occur in segments of Gasheys Creek. This geographic area is of concern for the Maryland Darter since the fish species has extremely specialized habitat requirements, and any disturbance to these tributaries of the Susquehanna River drainage basin could affect species populations still present. All Action Alternatives would run through Gasheys Creek, proximate to, or on railway lines already in existence.

Across all Action Alternatives, Harford County, MD, and Middlesex, CT, are noted for the proximity of the Representative Route to endangered species habitats/critical habitats. Suffolk County, NY (Alternative 3 via Long Island route option), and New Haven and Fairfield Counties, CT (all Action Alternatives) have the most T&E species with the potential to be affected throughout the corridor. The larger numbers of potentially affected T&E species in Connecticut indicate the greater level of potential impacts to T&E species in this state compared to the rest of the project corridor.

Stations

Alternative 3 has the most proposed new stations intersecting with areas that have the potential for T&E species, with up to 21 proposed new stations (Table 7.6-12). By state, New York has the most proposed new stations (up to eight) that would intersect with areas that have the potential for T&E species. Bronx County, NY, has the most proposed new stations with potential for T&E species

impacts, with four possible new stations (across all Action Alternatives) intersecting with four potential T&E species.

Migratory Bird Concerns

This Tier 1 Draft EIS does not include an effects-assessment on migratory bird species. However, coordination with USFWS identified the Bald Eagle (*Haliaeetus leucocephalus*) as a concern. In particular, the USFWS Pennsylvania Field Office identified several Bald Eagle nesting sites near the Action Alternatives. During Tier 2 studies, more coordination with the USFWS, field surveys, assessments, and screenings would occur, as determined necessary, to ensure compliance with the Bald and Golden Eagle Protection Act and the Migratory Bird Treaty Act.

7.6.4.3 Essential Fish Habitat

The FRA developed waterbody crossing data for the Environmental Consequences analysis. Waterbody crossings refer to waterbody locations containing federally managed fish species and their EFH that would be crossed by the Action Alternative Representative Routes. The crossing data calculated by state, the number of crossings that occur, the number of federally managed fish species types that could potentially occur, and the size (acreage and linear footage) of the crossing over each waterbody where these species and their EFH potentially occur. Size of crossing impact took into account the area (acreage) of the crossing over the waterbody, and the linear footage (or width) of the crossing, by direction of flow, over the waterbody.

The potential impacts of a waterbody crossing may vary since the size (area) of the waterbody crossing in a particular location may differ to the width (linear footage) of the crossing. For example, the Long Island Sound has the highest acreage of potential impact (it is the largest area of water crossing impact in the project corridor) but its linear footage, measuring the width of the crossing over the Long Island Sound (in the direction of flow), results in a smaller measurement than the area calculation. (Refer to Table 7.6-13 and Table 7.6-14 for the number of federally managed fish species types that have the potential to occur in the Action Alternative route crossings by state. Refer to Table 7.6-15 for more detailed quantities of acreage and linear footage EFH crossing impacts by state for the Representative Route.)

No Action Alternative

The FRA did not quantify the effects of the No Action Alternative as part of this analysis. However, projects being implemented under the No Action Alternative that will occur within or adjacent to the NEC right-of-way will likely encounter federally managed fish species. Project sponsors will be responsible for implementing remedial actions and measures for avoidance and minimizing any potential impacts to fish species.

Table 7.6-12: Environmental Consequences: Stations – T&E Species (Occurrence)

State	County	Station ID/Type	Station Name	Alt. 1	Alt. 2	Alt. 3
MD	Anne Arundel	6/New	BWI Airport H.S.			X
	Cecil	23/New	Elkton	X	X	X
DE	New Castle	26/New	Newport	X	X	X
		28/New	Edgemoor	X	X	X
PA	Delaware	34/New	Baldwin	X	X	X
	Philadelphia	44/Existing	Philadelphia Airport		X	X
		46/Existing	Philadelphia Market East			X
NJ	Middlesex	62/New	North Brunswick		X	X
		68/New	Metropark H.S.			X
NY	Queens	145/New	Jamaica H.S.			X (D.C. to Boston via Long Island and Providence)
	Bronx	78/New	Hunts Point	X	X	X
		79/New	Parkchester	X	X	X
		80/New	Morris Park	X	X	X
		81/New	Co-op City	X	X	X
	Westchester	87/New	Cross-Westchester	X	X	X
	Nassau	146/New	Nassau Hub			X (D.C. to Boston via Long Island and Providence)
Suffolk	148/New	Suffolk Hub			X (D.C. to Boston via Long Island and Providence)	
CT	Fairfield	94/New	Stamford H.S.	X		
		107/New	East Bridgeport	X	X	X
		154/New	Danbury			X (D.C. to Boston via Central Connecticut and Providence)
	New Haven	112/New	New Haven Station H.S.		X	X
		155/New	Waterbury South			X (D.C. to Boston via Central Connecticut and Providence)
		156/New	Meriden H.S.		X	X (D.C. to Boston via Long Island and Providence)
	Middlesex	120/New	Old Saybrook H.S.	X		
Hartford	164/New	Hartford (New)			X (D.C. to Boston via Central Connecticut and Providence)	
RI	Providence	129/New	Providence Station H.S.		X	X
		130/New	Pawtucket	X	X	X
MA	Suffolk	142/New	Back Bay H.S.			X

Source: NEC FUTURE team, 2015

Note: Quantities of potential impacts associated with stations are not shown. Acreage was calculated only for new stations and is provided in Appendix E, Section E.06.

X = Presence of resource within the Representative Route.

Blank cell = No effects identified for subject resource for listed station for specified Action Alternative.

H.S. = high speed

Table 7.6-13: Environmental Consequences: Representative Route – Federally Managed Fish Species (Number of Occurrences)

Geography	Existing NEC	Alternative 1	Alternative 2	Alternative 3
D.C.	0	0	0	0
MD	3	3	3	3
DE	4	4	4	4
PA	0	0	0	0
NJ	1	1	1	1
NY	13	13	13	14
CT	14	14	15	15–16
RI	6	6	10	6–10
MA	0	0	0	0

Source: NEC FUTURE team, 2015

Table 7.6-14: Environmental Consequences: Representative Route of Alternative 3 Route Options – Federally Managed Fish Species (Number of Occurrences)

Geography	Existing NEC	D.C. to NYC	New York City to Hartford		Hartford to Boston	
			via Central Connecticut	via Long Island	via Providence	via Worcester
D.C.	0	0	—	—	—	—
MD	3	3	—	—	—	—
DE	4	4	—	—	—	—
PA	0	0	—	—	—	—
NJ	1	1	—	—	—	—
NY	13	—	13	13	—	—
CT	14	—	15	16	12	12
RI	6	—	—	—	10	6
MA	0	—	—	—	0	0

Source: NEC FUTURE team, 2015

— = Not applicable within that alternative/option.

Table 7.6-15: Environmental Consequences: Representative Route Crossing Impact – Essential Fish Habitat

Geography	EFH Crossing Impact (acres/linear feet)											
	Existing NEC			Alternative 1			Alternative 2			Alternative 3 (Min–Max)		
	# of Crossings	Acres	Linear Feet	# of Crossings	Acres	Linear Feet	# of Crossings	Acres	Linear Feet	# of Crossings	Acres	Linear feet
D.C.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
MD	3	25	530	4	25	530	4	275	530	4	30	530
DE	N/A	N/A	N/A	1	0	125	1	5	150	1	10	300
PA	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
NJ	4	15	815	5	20	965	5	20	1,115	5	45	1,445
NY	4	5	600	4	5	600	4	90	1,360	4-5	180-2,075	940-1,010
CT	25	215	3,935	30	235	4,610	32	240	4,760	31	200-1,465	4,460
RI	1	0	150	1	0	150	2	10	300	1-2	1-15	150-400
MA	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
TOTAL	37	260	6,030	45	285	6,980	48	640	8,215	46-48	465-3,640	7,825-8,145

Source: NEC FUTURE team, 2015

Action Alternatives

Sixteen federally managed fish species and their habitats could be affected by crossings of the Action Alternative's Representative Routes. Consistent with the Affected Environment, Connecticut contains most of the potential impacts to federally managed fish species at the state and county level. The disproportionate level of potential fish species impacts in Connecticut is in line with the Affected Environment, with the Action Alternatives' Representative Routes running proximate to or overlapping areas with many inlets and waterbodies near the Connecticut shoreline. Throughout all the Action Alternatives, Connecticut has the most federally managed fish species that would be affected, total number of EFH crossings, and linear footage of EFH crossing impact (Table 7.6-13, Table 7.6-14 and Table 7.6-15). These impacts would be concentrated primarily in Fairfield and New London Counties, CT, which contain large coastal areas that intersect with the Action Alternatives' Representative Routes. Suffolk County, NY, recorded the most acreage of EFH crossing impact, which may be attributed to the Action Alternatives crossing the Long Island Sound where EFH species are known to occur.

New Jersey is the only state where, across all Action Alternatives, all crossings within each county would have only one fish species that could be affected—the Summer Flounder (*Paralichthys dentatus*) (Table 7.6-13 and Table 7.6-15). Washington, D.C., Pennsylvania, and Massachusetts, have no reported crossings intersecting federally managed fish species, and therefore no possibility of fish species impact.

Alternative 1

Of the nine states, seven (including the states with zero species) would have six or fewer possible federally managed fish species occurrences. New York and Connecticut would have the highest concentration of fish species, which may be attributed to the proximity of the Action Alternative routes to waterbodies containing fish species, including passing through the Long Island Sound and along the Connecticut coastline.

Alternative 1 ranks as the second-most total number of crossings, the second-least acreage, and the second-least linear footage of crossings.

Alternative 2

Of the nine states, six (including the states with zero species) would have four or fewer possible fish species occurrences. New York and Connecticut would have the highest concentration of fish species, which may be attributed to the proximity of the Action Alternative routes to waterbodies containing federally managed fish species, including passing through the Long Island Sound and along the Connecticut coastline.

Alternative 2 ranks as the most crossings, and the second-most acreage and the most linear footage of crossings. The high total linear footage of EFH crossing impacts in Alternative 2 may be attributed to the higher linear footage impacts in New Jersey, New York, and Connecticut.

Alternative 3

Of the nine states, seven would have 10 or fewer possible fish species occurrences. Crossings range from the second-fewest to the most (along with Alternative 2). Alternative 3 would have the most acreage of impacts, and the linear footage of EFH crossing impacts would increase to second-most.

Washington, D.C., to New York City

Alternative 3 from Washington, D.C., to New York City has similar EFH species per state totals as the other Action Alternatives (Table 7.6-13). For this section of the alignment, Alternative 3 has the most acreage and linear footage of EFH crossing impacts.

New York City to Hartford

Via Central Connecticut

From New York City to Hartford via Central Connecticut, the Representative Route is in line with the Affected Environment, where species occurrence concentration increases in New York City and Connecticut. This may be attributed in part to the Representative Route traveling the length of the Connecticut coastline, an extensive shoreline with many inlets that have higher concentrations of EFH species and protected marine mammals.

For this section of Alternative 3, EFH crossing impacts would range from 4 (New York City) to 31 (Connecticut), with ESH crossing impacts ranging from 180 acres (New York City) to 200 acres (Connecticut), and 940 linear feet (New York City) to 4,460 linear feet (Connecticut) of crossing impacts.

Via Long Island

From New York City to Hartford via Central Connecticut, the Representative Route is in line with the Affected Environment, where species occurrence concentration increases in New York and Connecticut. This may be attributed in part to the Representative Route passing through the Long Island Sound, where many of the federally managed fish species and protected marine mammal species are known to occur and migrate.

For this section of Alternative 3, New York and Connecticut recorded five EFH crossing impacts each. Acreage (2,075 acres) and linear footage (1,465 linear feet) of EFH crossing impacts were also the same for both states.

Hartford to Boston

Via Providence

Massachusetts does not have any EFH species occurrence or crossing impacts. Crossing totals range from 2 (Rhode Island) to 31 (Connecticut), and crossing impact acreage and linear footage range from 15 acres (Rhode Island) to 1,465 acres (Connecticut), and 400 linear feet (Rhode Island) to 4,460 linear feet (Connecticut). Most of the EFH species and crossing impacts would be concentrated in Connecticut because of the Representative Route's proximity to the coastline where federally managed fish species and protected marine mammals are known to occur.

Via Worcester

Massachusetts does not have any federally managed fish species occurrence or crossing impacts. Crossing totals range from 1 (Rhode Island) to 31 (Connecticut), and crossing impact acreage and linear footage ranged from 1 acre (Rhode Island) to 1,465 acres (Connecticut), and 150 linear feet (Rhode Island) to 4,460 linear feet (Connecticut). Most of the federally managed fish species and crossing impacts would be concentrated in Connecticut because of the Representative Route's proximity to the coastline where federally managed fish species and protected marine mammals are known to occur.

Stations

New station impacts to federally managed fish species would generally be minimal across the Action Alternatives. Across all the Action Alternatives, two new stations—in New Castle County, DE, and Bronx County, NY—could affect EFH by encroaching onto waterbodies containing federally managed fish species (Table 7.6-16). Additionally, one existing station where improvements are proposed encroaches into an EFH waterbody in New London County, CT. Table 7.6-16 identifies occurrences of only federally managed fish species and stations where effects may occur.

Table 7.6-16: Environmental Consequences: Stations – Essential Fish Habitat (Occurrence)

State	County	Station ID/Type	Station Name	Alternative 1	Alternative 2	Alternative 3
DE	New Castle	26/New	Newport	X	X	X
NY	Bronx	81/New	Co-op City	X	X	X

Source: NEC FUTURE team, 2015

Note: Quantities of potential impacts associated with stations are not shown. Acreage was calculated only for new stations and is provided in Appendix E, Section E.06.

7.6.4.4 Anthropogenic Influences

This Tier 1 Draft EIS considers locations of ESH resources, T&E species, federally managed fish species, and EFH in relation to locations of noise and vibration effects; it does not identify specific attributes of species or habitats with particular sensitivities to noise and vibration. Increased noise and vibration may create unfavorable conditions for a species to exist in those locations, resulting in a potential loss of life and habitat. Based on a review of the noise and vibration analyses undertaken for this Tier 1 Draft EIS, there would be a potential for proximity effects to ESH and T&E and EFH species and their habitats from increased noise and vibration levels. Noise impacts would occur in all Action Alternatives in all states, whereas vibration impacts would be generally less numerous and more varied in counties and states across the Action Alternatives (ranging between 3 counties/states in Alternative 1 and 26 counties in 8 states in Alternative 3). As a result, there is greater potential for noise impacts to ESH and T&E and EFH species than impacts resulting from vibration.

Ecologically Sensitive Habitat

All states have known potential for total area of ESH impact, and all states within the Affected Environment would have (moderate to severe) noise and vibration affects at various locations. Noise and vibration acreage of impacts analysis for ESH resources would be similar to the total area of ESH Affected Environment and Representative Resource analysis. Connecticut would have the most noise

and vibration acreages of impacts across all Action Alternatives, with the highest overall total area of ESH acreage of impact recorded in Alternative 1 (New London County). However, the quantity of vibration impacts would vary per state and county across the Action Alternatives, with Alternative 1 having the lowest occurrence (and therefore lowest potential for impacts) of total area of ESH impact and Alternative 2 having the highest occurrence of total area of ESH vibration impacts. Table 7.6-17 and Table 7.6-18 summarizes areas of ESH that coincide with identified noise and vibration impacts, respectively.

Threatened and Endangered Species

All states and Washington, D.C., within the Affected Environment would have moderate to severe noise impacts. All states (except Washington, D.C.) also have known T&E species occurrences. As a result, all states have the potential for noise impacts to intersect with T&E species. From Washington, D.C., to Westchester, NY, potential noise impacts to T&E species would be the same for all the Action Alternatives. From New York to Massachusetts, Alternatives 1 and 2 would have similar noise impacts to T&E species from state to state (Alternative 2 would have slightly more impacts), and Alternative 3 would have higher overall numbers of potential noise impacts to T&E species from state to state. The only counties with no T&E species that would have no potential for noise impacts include Washington, D.C.; Prince George's County, MD; Essex County, NJ; Tolland County, CT; and Worcester, Middlesex, and Norfolk Counties, MA. Where there is potential for T&E species impacts, potential impacts range from 1 (multiple counties and states) to 14 species (Suffolk, NY). Table 7.6-19 and Table 7.6-20 summarize occurrences of T&E species with identified noise and vibration effects, respectively, by state and county. A complete listing of species and habitat occurrences with noise and vibration effects is in Appendix E, Section E.06.

The quantity of vibration impacts would vary per state across the Action Alternatives with Alternative 1 having the fewest and Alternative 3 having the most. As a result, by state, Alternative 1 would have the lowest potential for vibration impacts to T&E species, Alternative 2 would have mid-range potential, and Alternative 3 would have the greatest potential for vibration impacts to T&E species. In general, only the eight states (except Washington, D.C.) within the Study Area could have vibration impacts and have known T&E species occurrences. Similar to noise impacts, only the eight states could have vibration impacts that intersect with T&E species. The only counties with no T&E species that would have no potential for vibration impacts include Bucks, PA; Mercer, Union, and Essex, NJ; Tolland, CT; and Worcester and Norfolk, MA. Where there is potential for vibration impacts to T&E species, potential impacts range from 1 (multiple counties and states) to 14 species (Suffolk, NY).

Table 7.6-17: Ecologically Sensitive Habitat Acreage with Noise Effects

Geography	County	Alternative 1		Alternative 2	
		ESH	ESH	ESH	ESH
D.C.		230	N	230	Y
MD	Prince Georges	1,080	N	1,080	Y
	Anne Arundel	2,305	N	2,305	Y
	Baltimore	1,140	N	1,140	Y
	Harford	2,245	N	2,245	N
	Cecil	2,960	N	5,505	Y
DE	New Castle	2,160	N	2,660	Y
PA	Delaware	145	N	285	Y
	Philadelphia	670	N	970	Y
	Bucks	1,240	N	1,240	Y
	Mercer	1,430	N	1,425	Y
	Middlesex	2,535	N	2,600	Y
NJ	Union	65	N	70	Y
	Essex	90	Y	100	Y
	Hudson	1,050	Y	1,050	Y
	New York	730	Y	790	Y
	Queens	75	Y	85	Y
NY	Bronx	825	Y	830	Y
	Westchester	105	Y	160	Y
	Nassau				
	Suffolk				
	Fairfield	1,535	Y	1,665	Y
CT	New Haven	4,040	Y	5,830	Y
	Hartford			1,990	Y
	Tolland			4,855	Y
	Windham			5,385	Y
	Middlesex	1,980	Y		N
New London	11,465	Y	6,260	N	

Table 7.6-17: Ecologically Sensitive Habitat Acreage with Noise Effects (continued)

Geography	County	Alternative1 ESH	Alternative 1		Alternative2 ESH	Alternative 2	
			Sev	Mod		Sev	Sev
RI	Washington	6,890	Y	Y		N	N
	Kent	690	Y	Y	690	N	Y
	Providence	110	Y	Y	5,365	Y	Y
	Bristol	1,685	Y	Y	2,065	Y	Y
MA	Worcester						
	Middlesex						
	Norfolk	2,590	Y	Y	2,580	Y	Y
	Suffolk	140	Y	Y	140	Y	Y

Table 7.6-17: Ecologically Sensitive Habitat Acreage with Noise Effects (continued)

Geography	County	Alternative 3														
		Washington, D.C. to New York			New York City to Hartford via Connecticut			New York City to Hartford via Long Island			Hartford to Boston via Providence			Hartford to Boston via Worcester		
		ESH Occurrence	Sev	Mod	ESH Occurrence	Sev	Mod	ESH Occurrence	Sev	Mod	ESH Occurrence	Sev	Mod	ESH Occurrence	Sev	Mod
D.C.		235	Y	Y												
MD	Prince Georges	1,105	Y	Y												
	Anne Arundel	2,585	Y	Y												
	Baltimore	2,505	Y	Y												
	Hartford	3,765	Y	Y												
	Cecil	5,510	Y	Y												
DE	New Castle	2,555	Y	Y												
	Delaware	305	Y	Y												
PA	Philadelphia	1,320	Y	Y												
	Bucks	1,265	Y	Y												
	Mercer	1,455	Y	Y												
	Middlesex	2,655	Y	Y												
NJ	Union	70	Y	Y												
	Essex	100	Y	Y												
	Hudson	1,235	Y	Y												
	New York															
NY	Queens															
	Bronx															
	Westchester															
	Nassau															
	Suffolk															
	Fairfield															
	New Haven															
CT	Hartford															
	Tolland															
	Windham															
	Middlesex															
	New London															

Table 7.6-17: Ecologically Sensitive Habitat Acreage with Noise Effects (continued)

Geography	County	Alternative 3														
		Washington, D.C. to New York			New York City to Hartford via Central Connecticut			New York City to Hartford via Long Island			Hartford to Boston via Providence			Hartford to Boston via Worcester		
		ESH Occurrence	Sev	Mod	ESH Occurrence	Sev	Mod	ESH Occurrence	Sev	Mod	ESH Occurrence	Sev	Mod	ESH Occurrence	Sev	Mod
RI	Washington															
	Kent															
	Providence															
	Bristol															
	Worcester															
MA	Middlesex															
	Norfolk															
	Suffolk															

Blank Cell = No effects identified for subject resource for listed station for specified alternative.

Table 7.6-18: Ecologically Sensitive Habitat Acreage with Vibration Effects

Geography	County	Alt. 1	Alternative 1 ESH	Alt. 2	Alternative 2 ESH
D.C.					
MD	Baltimore	Y	1,140	Y	1,140
	Harford				
	Cecil			Y	5,505
DE	New Castle				
PA	Delaware			Y	285
	Philadelphia			Y	970
	Bucks				
	Mercer				
NJ	Middlesex			Y	2,600
	Union				
	Essex				
	Hudson				
	New York				
	Kings				
	Queens			Y	85
NY	Bronx				
	Westchester			Y	160
	Putnam				
	Nassau				
	Suffolk				
	Fairfield			Y	1,665
	New Haven			Y	5,830
	Hartford			Y	1,990
	Tolland			Y	4,855
	Windham			Y	5,385
RI	New London	Y	11,465		
	Washington	Y	6,895		
	Providence			Y	5,365
MA	Bristol				
	Worcester				
	Norfolk				
	Suffolk				

Table 7.6-18: Ecologically Sensitive Habitat Acreage with Vibration Effects (continued)

Geography	County	Alt. 3	D.C. to NYC	Alternative 3																			
				New York City to Hartford via Central Connecticut		New York City to Hartford via Long Island		Hartford to Boston via Providence		Hartford to Boston via Worcester													
				Alt. 3	ESH Occurrence	Alt. 3	ESH Occurrence	Alt. 3	ESH Occurrence	Alt. 3	ESH Occurrence												
D.C.																							
MD	Baltimore	Y	2,505																				
	Harford	Y	3,765																				
	Cecil	Y	5,510																				
DE	New Castle	Y	2,555																				
	Delaware	Y	305																				
PA	Philadelphia	Y	1,320																				
	Bucks																						
NJ	Mercer																						
	Middlesex	Y	2,655																				
	Union																						
	Essex																						
	Hudson	Y	1,235																				
NY	New York			Y	1,120			Y	805														
	Kings							Y	45														
	Queens			Y	90			Y	360														
	Bronx			Y	855			Y															
	Westchester			Y	5,595			Y															
	Putnam			Y	1,450			Y															
	Nassau							Y	575														
	Suffolk							Y	4,135														
	Fairfield			Y	4,700			Y	3,360														
	CT	New Haven			Y	8,515			Y	7,820													
Hartford				Y	2,450			Y	2,645											Y	3,240		3,045
Tolland																			Y	4,855		6,635	
Windham																			Y	5,385		595	
New London																							
RI	Washington																						
	Providence																		Y	5,360			110

Table 7.6-18: Ecologically Sensitive Habitat Acreage with Vibration Effects (continued)

Geography	County	Alternative 3											
		Alt. 3	D.C. to NYC	New York City to Hartford via Central Connecticut		New York City to Hartford via Long Island		Hartford to Boston via Providence		Hartford to Boston via Worcester			
				Alt. 3	ESH Occurrence	Alt. 3	ESH Occurrence	Alt. 3	ESH Occurrence	Alt. 3	ESH Occurrence		
MA	Bristol							Y	2,085	Y	2,085	Y	2,085
	Worcester											Y	7,335
	Norfolk							Y	2,630	Y	2,630	Y	2,630
	Suffolk							Y	155	Y	155	Y	280

Blank Cell = No effects identified for subject resource for listed station for specified alternative.

Table 7.6-19: Threatened and Endangered and Federally Managed Fish Species Occurrences with Noise Effects (continued)

State	County	T&E Species Identified within County	Federally Managed Fish Identified within County	Noise Impact Buffers													
				Alternative 1			Alternative 2			D.C. to NYC		New York City to Hartford		Alternative 3			
				Sev	Mod	Y	Sev	Mod	Y	Sev	Mod	Y	Sev	Mod	Y		
				Hartford to Boston		Providence		Worcester									
CT	Fairfield	Y	Y	Y	Y	Y											
	New Haven	Y	Y	Y	Y	Y											
	Hartford	Y		Y	Y	Y						Y	Y	Y	Y	Y	Y
	Windham	Y			Y	Y							Y	Y			
	Middlesex	Y	Y	Y	N	N						Y	Y	Y	Y	Y	Y
	New London	Y	Y	Y	Y	N	Y					Y	Y	Y	Y	Y	Y
RI	Washington	Y	Y	Y	N	N											
	Kent	Y	Y	Y	Y	Y											
	Providence	Y	Y	Y	Y	Y											
MA	Bristol	Y	Y	Y	Y	Y											
	Suffolk	Y	Y	Y	Y	Y											

Source: NEC FUTURE team, 2015

Note: Counties that have no T&E or EFH/federally managed fish species impacts are not shown. Blank Cell = No effects identified for subject resource for listed station for specified alternative.

Sev = severe

Mod = moderate

Table 7.6-20: Threatened and Endangered and Federally Managed Fish Species Occurrences with Vibration Effects

State	County	T&E Species Identified within County	Federally Managed Fish Identified within County	Vibration Impact Buffers								
				Alternative 1	Alternative 2	Alternative 3			Worcester			
						D.C. to NYC	Central Connecticut	Long Island		Hartford to Boston		
MD	Anne Arundel	Y	N									
	Baltimore	Y	Y	Y								
	Hartford	Y	Y									
	Cecil	Y	N	Y								
DE	New Castle	Y	Y									
	Delaware	Y	N	Y								
PA	Philadelphia	Y	N	Y								
	Bucks	Y	N									
	Mercer	Y	N									
NJ	Middlesex	Y	Y	Y								
	Union	Y	N									
	Hudson	Y	Y									
	New York	Y	Y					Y				
NY	Queens	Y	Y	Y				Y				
	Bronx	Y	Y					Y				
	Westchester	Y	Y	Y				Y				
	Nassau	Y	N						Y			
	Suffolk	Y	Y						Y			
	Fairfield	Y	Y	Y					Y			
CT	New Haven	Y	Y	Y				Y				
	Hartford	Y	Y	Y				Y			Y	Y
	Windham	Y	N	Y							Y	
	Middlesex	Y	N									
	New London	Y	Y	Y								

Table 7.6-20: Threatened and Endangered and Federally Managed Fish Species Occurrences with Vibration Effects (continued)

State	County	T&E Species Identified within County	Federally Managed Fish Identified within County	Vibration Impact Buffers							
				Alternative 1	Alternative 2	Alternative 3			Hartford to Boston	Worcester	
						D.C. to NYC	Central Connecticut	Long Island			
RI	Washington	Y	N	Y							
	Kent	Y	N								
	Providence	Y	Y		Y				Y		
MA	Bristol	Y	N								Y
	Suffolk	Y	N								Y

Source: NEC FUTURE team, 2015

Note: Counties that have no T&E or EFH/federally managed fish species impacts are not shown. Blank Cell = No effects identified for subject resource for listed station for specified alternative.

Essential Fish Habitat

Washington, D.C., Pennsylvania, and Massachusetts have no federally managed fish species and therefore no potential for noise impacts to these fish species. The six remaining states within the Study Area could have moderate to severe noise impacts to fish species occurrences. From Washington, D.C., to Westchester, NY, potential noise impacts to fish species would be the same across the Action Alternatives. From New York to Massachusetts, Alternatives 1 and 2 would have similar impacts from state to state (Alternative 2 would have slightly more impacts), and Alternative 3 would have higher overall numbers of potential federally managed fish species noise impacts from state to state. The only counties with no fish species that would have no potential for noise impacts include Prince George's and Anne Arundel Counties, MD; Mercer and Union Counties, NJ; Westchester and Nassau Counties, NY; Tolland and Windham Counties, CT; and Washington, RI. Where there is potential for federally managed fish species impacts, potential impacts range from 1 (multiple counties and states) to 15 fish species (Fairfield and New London Counties, CT).

There is variation in the quantity of vibration impacts per state across the Action Alternatives with Alternative 1 having the fewest and Alternative 3 having the most. As a result, by state, Alternative 1 would have the lowest potential for vibration impacts to federally managed fish species, Alternative 2 would have mid-range potential, and Alternative 3 would have the greatest potential for vibration impacts to fish species. Washington, D.C., Pennsylvania, and Massachusetts have no fish species and therefore no potential for vibration impacts. The remaining six states within the Study Area could have vibration impacts and federally managed fish species occurrences. Only the following counties with no fish species have no potential for vibration impacts: Prince George's, Anne Arundel, and Cecil Counties, MD; Mercer, Union, and Essex Counties, NJ; Kings, Putnam, and Nassau Counties, NY; Tolland and Windham Counties, CT; and Washington, RI. Where there is potential for vibration impacts to federally managed fish species, potential impacts range from 1 (multiple counties and states) to 15 fish species (Fairfield, CT).

7.6.5 Context Area

The distribution and quantity of ecological resources within the Context Area are similar to the Affected Environment for ESH, T&E species, and EFH species.

The Context Area is inclusive of the Affected Environment, and as a result, any T&E or federally managed fish species listed in the Affected Environment would also occur in the Context Area. The Maryland Darter (*Etheostoma sellare*) in Harford County, MD, was identified as the only T&E species with critical habitat to occur in the Context Area as well as the Affect Environment. The area (linear feet) of overlap between the Context Area and species' critical habitat was calculated and recorded for the Context Area (refer to Appendix E, Section E.06).

Three T&E species are known to occur only within the Context Area for the Action Alternatives. These species include the Hay's Spring Amphipod (*Stygobromus hayi*), an endemic endangered arthropod occurring in springs along Rock Creek in Washington, D.C.; the Sensitive Joint-Vetch (*Aeschynomene virginica*), a threatened plant known to occur within the Context Area in Maryland and New Jersey; and the Knieskern's Beaked-Rush (*Rhynchospora knieskernii*) an endemic threatened plant species known to occur within the Context Area in New Jersey.

Three federally managed fish species are known to occur only within the Context Area for the Action Alternatives. These species include the Monkfish (*Lophius americanus*) and Cleargnose Skate (*Raja eglanteria*), which are known to occur within the Context Area only in Queens County, NY (Jamaica Bay); and the Atlantic Halibut (*Hippoglossus hippoglossus*), which is known to occur within the Context Area only in Suffolk County, MA (Boston Harbor).

These T&E and federally managed fish species and associated habitats will not be investigated further since they are not known to occur within the Affected Environment, and are considered species requiring no further evaluation. If an Action Alternative alignment shift were to occur, these species would be reevaluated to determine if they fall within the Affected Environment and are species of concern.

7.6.6 Potential Mitigation Strategies

7.6.6.1 Ecologically Sensitive Habitats

Potential mitigation strategies should include restricting ESH area disturbance to the perimeter of the habitat area, minimizing habitat fragmentation, implementing a forest conservation/ management plan, implementing best management practices with regard to wildlife crossings, native vegetation stabilization, and tree replacement. Furthermore, where and when feasible, mitigation strategies should also consider removal of obsolete impervious surfaces from riparian and shoreline areas and the improvement of ESH areas outside the Study Area, including wetlands and forested land.

7.6.6.2 Threatened and Endangered Species

Potential mitigation strategies should include continued coordination with the USFWS for specific mitigation measures for any affected T&E species, adherence to habitat conservation plans and permitting requirements, restricting disturbance of T&E habitat, and implementation of best management practices and invasive species control. Program-wide or habitat-specific mitigation strategies could be developed with the agencies, as appropriate, through the permit process.

7.6.6.3 Essential Fish Habitat

Potential mitigation strategies should include establishing monitoring and adaptive management practices for affected federally managed fish species, establishing a stocking program, improving EFH areas not related to the Study Area, and treating elevated levels of chemicals, metals, and other contaminants in the waterbodies near the Study Area.

7.6.7 Subsequent Tier 2 Analysis and ESA Section 7 compliance

Tier 2 assessments would refine the impact assessment based on design and site-specific mapping. In addition to analyzing potential impacts to protected resources for the Tier 2 assessment, an analysis of impacts to common ecological resources would be required if impacts are anticipated. Mitigation measures to offset these site-specific impacts would be developed.

7.6.7.1 Ecologically Sensitive Habitat

The information acquired from the evaluation of ESH areas in this Tier 1 Draft EIS would inform and direct analysis needed during Tier 2 studies. Subsequent analysis, including field surveys for ESH areas would be necessary to identify the most sensitive ESH areas.

7.6.7.2 Threatened and Endangered Species

The information acquired from the evaluation of T&E species analysis in this Tier 1 Draft EIS would inform and direct analysis needed during Tier 2 studies. Subsequent analysis, including field surveys for “species/areas of concern” would be necessary to identify sensitive T&E habitat areas and potential impacts to T&E species. Biological assessments should be conducted to determine whether suitable habitat is present for listed species.

Consultation with USFWS under Section 7 of the federal ESA and with the NMFS under Section 7 and under Section 305(b) of the Magnuson-Stevens Fishery Conservation and Management Act for potential impacts to EFH is ongoing and would continue to be required. The FRA hosted presentations with the NMFS (August 4, 2014) and the USFWS (January 7, 2015), providing an overview of NEC FUTURE and information regarding the Ecological Resources effects assessment. The presentation also provided a platform for discussing Section 7 consultation and NOAA/NMFS and USFWS expectations for continued agency coordination. It was determined that no formal Section 7 consultation would occur at the Tier 1 EIS analysis. (See Appendix E, Section E.06, for the email correspondence, March 20, 2015.)

The FRA submitted a list of species and critical habitats identified for inclusion in the Tier 1 Draft EIS to NOAA/NMFS and USFWS: November 3, 2014 (for NOAA/NMFS feedback) and January 13, 2015 (for USFWS feedback). NOAA/NMFS provided feedback December 19, 2014, and four USFWS field offices have provided feedback: Pennsylvania (February 9, 2015), New York (March 2015), New England (April 4, 2015), and Chesapeake Bay (May 14, 2015). The FRA reviewed and incorporated the correspondence into this Tier 1 Draft EIS.

Formal consultation by the FRA or other federal action agency with the USFWS and NMFS would be considered at the Tier 2 environmental compliance process if the Tier 2 project’s impacts are “likely to adversely affect” a federally protected species. In most instances, any activity that proposes disturbance or “take” of a protected species or habitat is prohibited by the laws and regulations. When formal consultation occurs, the USFWS or NMFS must prepare a Biological Opinion, stating whether the project would put the continued existence of any listed species or EFH in jeopardy. If jeopardy is considered likely and unavoidable, the project must be subsequently exempted or it cannot proceed. If jeopardy is not considered likely or if it is avoidable, then the USFWS or NMFS would issue an Incidental Take Statement, with any conditions of approval or mitigation measures, and the project may commence.

7.6.7.3 Essential Fish Habitat

The information derived from the evaluation of EFH in this Tier 1 Draft EIS would inform and direct the analysis needed during Tier 2 studies. The Tier 1 EIS and Record of Decision will identify any areas and fish species of concern that may require subsequent analysis. Formal consultation with the NMFS

would then be undertaken if the federal agency undertaking the action identifies the possibility of affecting federally protected EFHs.

The Magnuson-Stevens Fishery Conservation and Management Act (MSFCMA) requires the federal agency to consult with the Secretary of Commerce with respect to any action authorized, funded, or undertaken or proposed to be authorized, funded, or undertaken, by such agency that may adversely affect any EFH identified under the Act (refer to previous section for more information). If an adverse effect may occur to EFH and federally managed fish species protected under the MSFCMA, a written EFH Assessment should be prepared describing the effects of the project on EFH and fish species, and identifying proposed mitigation measures. The NMFS will then provide EFH Conservation Recommendations to avoid and/or minimize adverse effects to EFH and fish species inhabiting these EFHs.